

CREATING A CLEANER, SAFER,  
HEALTHIER WORLD.



EQUIPMENT



# Tennant vacuum range

- Simple – ergonomics and features for operator comfort and convenience
- Reliable – equipped with durable major components
- Affordable – deliver high value at reduced operating costs

# RANGE OVERVIEW



Cable management



Double speed switch



Tool storage

## V6

- Innovative design with durable major components.
- Ergonomics and productivity improved through important features such as the telescopic aluminium wand, cable management and on-board accessory storage.
- Double speed switch allows for sound level reduction offering ultra quiet operation.
- Excellent dust control with standard HEPA 3-stage filtration.

- ▣ For all floor types: carpet, tiles, wood, vinyl, natural stone.
- ▣ For all applications:
  - ▶ Offices: meeting rooms, aisles, seats.
  - ▶ Retail: show floors, entryways, aisles.
  - ▶ Hospitality: entryways, rooms, lounges, meeting rooms.
  - ▶ Daytime cleaning.
- ▣ Accessories:
  - ▶ Standard: Combination floor tool, accessory kit, telescopic aluminium wand
  - ▶ Optional: Universal tool, cloth bag

## V3

- Great value for money with excellent ergonomics features such as the telescopic aluminium wand, foot operated on/off switch and low noise level.
- High level of durability and reliability through the use of durable major components.
- Optional HEPA 3-stage filtration increases dust control and improves indoor air quality in dust sensitive environments.

- ▣ For all floor types: carpet, tiles, wood, vinyl, natural stone.
- ▣ For all applications:
  - ▶ Offices: meeting rooms, aisles, seats.
  - ▶ Retail: show floors, entryways, aisles.
  - ▶ Hospitality: entryways, rooms, lounges, meeting rooms.
- ▣ Accessories:
  - ▶ Standard: Combination floor tool, accessory kit, telescopic aluminium wand
  - ▶ Optional: 3-stage HEPA 12 filters, universal tool, cloth bag





## V-SMU-36

- High level of durability and reliability through the use of durable major components.
- Significantly lowers vacuum emissions with standard HEPA 3-stage filtration.
- Features improve productivity and lower service costs.
- Delivering high value at significantly reduced operating costs.

- ▣ For all floor types: carpet, tiles, wood, vinyl, natural stone.
- ▣ For all applications:
  - ▶ Offices: meeting rooms, aisles, seats.
  - ▶ Retail: show floors, entryways, aisles.
  - ▶ Hospitality: entryways, rooms, lounges, meeting rooms.

- ▣ Accessories:
  - ▶ Standard: On-board crevice tool, dusting brush with telescopic aluminium wand

## V10, V12 and V14

- Wet and dry vacuum cleaners providing a complete choice of tank capacities for a variety of applications.
- The V10 and V12 are robust and high performing industrial vacuum cleaners that remove water effectively from all types of decorative and hard floor surfaces.
- The V14 – with a 48L wet capacity – is a multi purpose industrial trolley mounted vacuum cleaner designed for heavy duty cleaning of extended floor areas

- ▣ For a wide range of floor types: carpet, tiles, vinyl, concrete.
- ▣ For industrial applications: shopping aisles, workshop, around production line.

- ▣ Accessories:
  - ▶ Standard: suction vacuum hose, wand tubes, tool kit, floor tool wet and dry, polyester filter bag.

## V-BP-7

- Light weight backpack structure.
- Maximum comfort through weight distribution to the operator's hips rather than the back- designed by backpacking experts.
- Standard HEPA 4-stage filtration.
- Durable major components.
- Delivering high value at significantly lower operating costs.

- ▣ For all floor types: carpet, tiles, wood, vinyl, natural stone.
- ▣ For all narrow applications: vehicles (busses, trains, planes) cinema, theatres.

- ▣ Accessories:
  - ▶ Standard: double-bend adjustable wand, easy-glide carpet floor tool, hard floor tool, dust brush, upholstery tool, crevice tool



## SPECIFICATIONS

|                                      |          | CANISTER |      | UPRIGHT  | BACKPACK | WET & DRY |      |      |  |
|--------------------------------------|----------|----------|------|----------|----------|-----------|------|------|--|
|                                      |          | V3       | V6   | V-SMU-36 | V-BP-7   | V10       | V12  | V14  |  |
| <b>VACUUM SYSTEM</b>                 |          |          |      |          |          |           |      |      |  |
| Airflow                              | l/s      | 33       | 40   | 56,6     | 56,6     | 47        | 47   | 94   |  |
| Vacuum power watts                   | W        | 1200     | 1200 | 1200     | 1440     | 1200      | 1200 | 2400 |  |
| <b>FILTRATION</b>                    |          |          |      |          |          |           |      |      |  |
| Cloth bag                            |          | ●        | ●    |          | ●        |           |      |      |  |
| Filter bag                           |          |          |      | ●        | ●        |           |      |      |  |
| Vac motor filter                     |          |          |      | ●        |          |           |      |      |  |
| HEPA filter                          |          |          | ●    | ●        | ●        |           |      |      |  |
| Exhaust filter                       |          |          |      |          | ●        |           |      |      |  |
| Polyester filter                     |          |          |      |          |          | ●         | ●    | ●    |  |
| Paper bag in dry application         |          |          |      |          |          | ●         | ●    | ●    |  |
| <b>DIMENSIONS/WEIGHT/SOUND LEVEL</b> |          |          |      |          |          |           |      |      |  |
| Length                               | mm       | 400      | 450  | 320      | 190      | 350       | 350  | 600  |  |
| Width                                | mm       | 370      | 400  | 370      | 240      | 340       | 340  | 550  |  |
| Height                               | mm       | 430      | 360  | 1120     | 521      | 570       | 670  | 970  |  |
| Weight                               | kg       | 5,75     | 7,6  | 7,3      | 5        | 11,5      | 13   | 32   |  |
| Sound level                          | dBA      | 67,8     | 59,7 | 69,9     | 69,5     | 70        | 70   | 75   |  |
| <b>ELECTRICAL</b>                    |          |          |      |          |          |           |      |      |  |
| Power cord length                    | m        | 12       | 12   | 15       | 15       | 12        | 12   | 12   |  |
| <b>PERFORMANCE AND CAPACITY</b>      |          |          |      |          |          |           |      |      |  |
| Water lift                           | kPa      | 22,5     | 23,5 | 22,1     | 25,4     | 22        | 22   | 24   |  |
| Practical tank capacity              | L        | 11       | 9    |          | 5,7      | 16        | 25   | 48   |  |
| <b>PROTECTION CLASS</b>              |          |          |      |          |          |           |      |      |  |
| Class                                | I/II/III | II       | II   | I        | I        | II        | II   | II   |  |
| <b>WARRANTY</b>                      |          |          |      |          |          |           |      |      |  |

See your local representative for warranty information.

## GENUINE TENNANT PARTS, SUPPLIES AND SERVICE

### Tennant Service Offering

- Maximise safety, productivity and uptime
- Control and protect your investment and lower your total cost of ownership
- Benefit from over 200 factory-trained service technicians across Europe

### Tennant Parts & Supplies

- Operate your machine with confidence
- Benefit from years of worry-free operation

### Tennant Cleaning Solutions

- Further your sustainable cleaning goals
- Choose sustainable benefits your company wants

## SEEING IS BELIEVING

For a demonstration or additional information contact us:

### TENNANT UK CLEANING SOLUTIONS LTD

Gladstone Road  
Northampton NN5 7RX  
UNITED KINGDOM  
Tel: 0800 111 4402 (local rate UK only)  
Tel: 01604 583191  
Fax: 0845 052 9349  
E-mail: sales.uk@tennantco.com  
E-mail: enquiries@tennantco.com

### TCS EMEA GmbH

Sommerfeld 1  
5202 Neumarkt am Wallersee  
AUSTRIA  
Tel: +43 (0)6216 4524 & 4525  
Fax: +43 (0)6216 4524 20  
E-mail: office@tennant-cee.com

### TENNANT EUROPE NV

Roderveldlaan 3  
2600 Antwerp  
BELGIUM  
Tel: +32 3 217 94 11  
Fax: +32 3 217 94 19  
E-mail: europe@tennantco.com