

### STANDARD EQUIPMENT



## Quick 36 E

- Suitable to work in high congested areas like small shops, offices, kitchens, schools, hospitals, bars, gyms, restaurants
- Adjustable flow (automatic start-stop with solenoid valve) of the detergent solution depending on type of surface
- Brush with quick release
- Removable recovery tank
- Squeegee lifting lever
- Compact reclining handle with control switches
- Easy access and simple service of the components.



Optional: Extension electric cord 15 m with Schuko plug Code 4.512.0068



### Quick 36E

code	8.518.0004
power supply	220/240 V - 50/60 Hz
scrubbing/squeegee width	360 / 460 mm
max working capacity	1260 m <sup>2</sup> /h
traction	mechanical

### STANDARD EQUIPMENT



## Quick 36 B

- Suitable to work in high congested areas like small shops, offices, kitchens, schools, hospitals, bars, gyms, restaurants
- Adjustable flow (automatic start-stop with solenoid valve) of the detergent solution depending on type of surface
- Brush with quick release
- Removable recovery tank
- Available in battery version (36B) with integrated battery charger with data memory and for any type of batteries.
- Battery included
- Squeegee lifting lever
- Easy access and simple service of the components.



### Quick 36B

code	8.518.0003
power supply	12 V
scrubbing/squeegee width	360 / 460 mm
max working capacity	1260 m <sup>2</sup> /h
traction	mechanical

### STANDARD EQUIPMENT



## Speed 45

- Suitable to work in high congested areas like wellness centres and medical environments in general, gyms, retail outlets, car shops, sales points and health care
- Solution water filter and solenoid valve (battery model only)
- User friendly control panel
- Hour meter (optional)
- Recovery water tank with visual inspection
- Reclining handle with control lever (battery model only)
- Low noise operation thanks to the protected positioning of vacuum motor
- Recovery tank drain hose with adjustable flow system
- Indicator of the solution water tank fill level
- Non-marking wheels.



### Speed 45E

### Speed 45B

### Speed 45B

code	8.524.3302	8.524.1002	8.524.0002
power supply	230 V - 50 Hz	24V (battery charger included)	24V (batteries and charger included)
scrubbing/squeegee width	450 / 800 mm	450 / 800 mm	450 / 800 mm
max working capacity	1575 m <sup>2</sup> /h	1575 m <sup>2</sup> /h	1575 m <sup>2</sup> /h
traction	mechanical	mechanical	mechanical

### STANDARD EQUIPMENT



### Free Evo 50 E

- Very compact scrubbing machines suitable to work for the maintenance cleaning of limited-size areas (up to 1.500 m<sup>2</sup>)
- Control panel with operator presence safety system
- Easy access to the battery compartment
- Quick drain and easily inspectable recovery tank
- Non-marking wheels
- Roto-molded polyethylene tanks, shock and acid resistant
- Low noise operation thanks to the protected positioning of vacuum motor.



	Free Evo 50E
code	8.527.0003
power supply	230 V - 50 Hz
scrubbing/squeegee width	500 / 800 mm
max working capacity	2000 m <sup>2</sup> /h
traction	mechanical

### STANDARD EQUIPMENT



### Free Evo 50 B

- Very compact scrubbing machines suitable to work for the maintenance cleaning of limited-size areas (up to 1.500 m<sup>2</sup>)
- Control panel with operator presence safety system
- Low level battery indicator: brush/vacuum and traction progressive cut off
- Solution water filter and solenoid valve
- Easy access to the battery compartment
- Quick drain and easily inspectable recovery tank
- Non-marking wheels
- Roto-molded polyethylene tanks, shock and acid resistant
- The lower tank also serves as battery compartment



	Free Evo 50B	Free Evo 50B	Free Evo 50B
code	8.527.0004	8.527.0001	8.527.0010
power supply	24V	24V (battery charger included)	24V (batteries and battery charger included)
scrubbing/squeegee width	500 / 800 mm	500 / 800 mm	500 / 800 mm
max working capacity	2000 m <sup>2</sup> /h	2000 m <sup>2</sup> /h	2000 m <sup>2</sup> /h
traction	mechanical	mechanical	mechanical

### STANDARD EQUIPMENT



### Free Evo 50 BT

- Very compact scrubbing machines suitable to work for the maintenance cleaning of limited-size areas (up to 1.500 m<sup>2</sup>)
- Control panel with operator presence safety system
- Low level battery indicator: brush/vacuum and traction progressive cut off
- Solution water filter and solenoid valve
- Easy access to the battery compartment
- Quick drain and easily inspectable recovery tank
- Non-marking wheels
- Roto-molded polyethylene tanks, shock and acid resistant
- The lower tank also serves as battery compartment

**With automatic traction**



	Free Evo 50BT	Free Evo 50BT	Free Evo 50BT
code	8.527.0011	8.527.0002	8.527.0012
power supply	24V	24V (battery charger included)	24V (batteries and battery charger included)
scrubbing/squeegee width	500 / 800 mm	500 / 800 mm	500 / 800 mm
max working capacity	2000 m <sup>2</sup> /h	2000 m <sup>2</sup> /h	2000 m <sup>2</sup> /h
traction	automatic	automatic	automatic

**NEW**

### STANDARD EQUIPMENT



- Designed for the maintenance and deep cleaning of large areas (up to 1.700 m<sup>2</sup>)
- Especially suitable for cleaning: car shops, sales points, gym, health care
- User friendly control panel
- Automatic brush lifting (model 66BTA only)
- Fully accessible recovery water tank with visual inspection
- Automatic detergent measuring system
- Big size traction wheels
- Handle with control lever
- Integrated on-board battery charger.



	Next Evo 55BT	Next Evo 66BTA
code	8.525.1301	8.525.1302
power supply	24V	24V
scrubbing/squeegee width	550 / 800 mm	660 / 900 mm
max working capacity	2200 m <sup>2</sup> /h	2640 m <sup>2</sup> /h
traction	automatic	automatic

### STANDARD EQUIPMENT



### Easy-R

- Suitable to work for the maintenance and deep cleaning of large areas (up to 2.200 m<sup>2</sup>)
- User friendly control panel: forward speed setting, scrubbing and vacuuming selectors, battery charge indicator, traction direction indicator, key main switch
- Large handle with traction driving lever for forward and backward directions
- Self levelling brush plate
- Cover removable without tools provided with self locking system
- Non-marking wheels
- Easy squeegee regulation without tools
- Movable shock-proof squeegee
- Hour meter and solenoid valve.



	Easy-R 50BT	Easy-R 55BT	Easy-R 66BT
code	8.516.0406	8.516.0407	8.516.0415
power supply	24V	24V	24V
scrubbing/squeegee width	500 / 800 mm	550 / 800 mm	660 / 800 mm
max working capacity	2250 m <sup>2</sup> /h	2475 m <sup>2</sup> /h	2970 m <sup>2</sup> /h
traction	automatic	automatic	automatic

### STANDARD EQUIPMENT



### Midi-R

- Capable to work for the maintenance and deep cleaning of large areas (up to 2.600 m<sup>2</sup>)
- User friendly control panel: forward speed setting, scrubbing and vacuuming selectors, battery charge indicator, traction direction indicator, key main switch
- Large handle with traction driving lever for forward and backward directions
- Self levelling brush plate
- Cover removable without tools
- Quick vacuum motor and filter inspection, without tools
- Detergent solution filter
- Detergent solution tank provided with large opening protected by quick locking cap.



	Midi-R 75BT
code	8.517.0105
power supply	24V
scrubbing/squeegee width	750 / 900 mm
max working capacity	4275 m <sup>2</sup> /h
traction/power	automatic / 300 W