


STANDARD EQUIPMENT



BSW 375 ET


- Industrial battery-powered sweeper for the quick, quiet and cordless intermediate cleaning of all surfaces, indoor and outdoor.
- Ideal for entryways of all kinds, hallways, staircases, driveways, warehouse and office areas, airports and train stations.
- Equipped with two batteries, the operation time lengthens to 90 minutes.
- The powerful Lithium-Ion battery (without memory effect) with 10.8 V and 1.5 Ah allows an operation time of approx. 45 minutes per battery.
- Second battery can be directly stored and carried on the machine itself.
- Quick-charging unit with a charging time of only 70 minutes is included with purchase.
- Large foot pedal for activation without bending over.
- Main cylinder brush and side brushes can be replaced without tools.



BSW 375 ET

code	0.064.0001
main brush width	260 mm
main brush + 2 side brush width	375 mm
max working capacity	800 m ² /h
traction	manual

STANDARD EQUIPMENT



BSW 651 M


- Ideal for small and medium surfaces
- Easy handling
- Wide collector tank with safety lock
- Side brush lifting
- Main brush pressure regulation
- Separate side brush
- Adjustable working load on the brush
- Tilting handle
- 360° front wheel
- Die casting brush arm
- Traceless wheels
- Shock proof frame
- Hourly efficiency (max) 1500 m²/h
- Working area (1 side brush) 500-700 mm.



BSW 651 M

code	0.042.0101
main brush width	500 mm
main brush + 1 side brush width	700 mm
max working capacity	1500 m ² /h
traction	manual

STANDARD EQUIPMENT



SWL 700

- Ideal for medium and large surfaces
- Large filter surface with electric filter shaker (SWL 700 ET) manual filter shaker (SWL 700 ST)
- Side brush raising control
- Suction switch off
- Flap raise system
- Panel filter in horizontal position
- Main brush pressure regulation
- Indirect back collection
- Quick main brush release
- Long life elastic belts
- Reclining handle
- Suction selection lever. Traction lever. Antistatic device.
- Wide collector tank
- Heavy duty steel frame
- Side brush mechanical engagement
- Battery and battery charger not included (SWL 700 ET).

**ELECTRIC
FILTER SHAKER
(SWL 700 ET)**

**SWL 700 ST
POWERED by
HONDA**




SWL 700 ET

SWL 700 ST

code	0.061.0001	0.061.0002
main brush width	510 mm	510 mm
main brush + 1 side brush width	680 mm	680 mm
max working capacity	2620 m ² /h	2620 m ² /h
Motor type/traction	electric 12 V/mechanical	Honda 4 Hp/mechanical

STANDARD EQUIPMENT



SWL 900

- Ideal for medium and large surfaces • Large filter surface with electric filter shaker (SWL 900 ET) manual filter shaker (SWL 900 ST)
- Side brush raising control • Suction switch off • Flap raise system
- Panel filter in horizontal position • Main brush pressure regulation
- Indirect back collection • Quick main brush release • Long life elastic belts • Reclining handle • Suction selection lever. Traction lever. Antistatic device. Wide collector tank • Heavy duty steel frame • Side brush mechanical engagement. • Battery and battery charger not included (SWL 900 ET).

ELECTRIC FILTER SHAKER (SWL 900 ET)

SWL 900 ST
POWERED by **HONDA**



	SWL 900 ET	SWL 900 ST
code	0.061.0003	0.061.0004
main brush width	710 mm	710mm
main brush + 1 side brush width	880 mm	880mm
max working capacity	3700m ² /h	3700m ² /h
Motor type/traction	electric 12 V/mechanical	Honda 4 Hp/mechanical

STANDARD EQUIPMENT



SWL R 850 ET

- Ideal for large surfaces • Large filter surface distributed on 5 cartridge filters fitted with electric filter shaker • Side brush raising control • Suction switch off • Flap raise system • Flashing light
- Main brush pressure regulation • Indirect back collection • Front dust vacuum system • Quick changing of the main brush and side brush without tools • Long life elastic belts • Suction selection lever
- Shock proof steel frame • Traction lever • Antistatic device • Wide collector tank • Heavy duty steel frame • Perfectly balanced weight of the components, thus resulting in totally safe quick changes of direction • Battery and battery charger not included.

ELECTRIC FILTER SHAKER



	SWL R 850 ET
code	0.061.0005
main brush width	650 mm / 25,59 inc
main brush + 1 side brush width	850 mm / 33,46 inc
max working capacity	4900 m ² /h-52743 ft ²
Motor type/traction	electric 24 V/front wheels

STANDARD EQUIPMENT



SWL R 1000

- Ideal for large surfaces • Large filter surface distributed on 6 cartridge filters fitted with electric filter shaker • Side brush raising control
- Complete right/left side brush • Suction switch off • Lift flap pedal
- Flashing light • Main brush pressure regulation • Indirect back collection • Front dust vacuum system • Quick changing of the main brush and side brush without tools • Long life elastic belts • Suction selection lever • Shock proof steel frame • Traction lever • Antistatic device • Battery level indicator • Wide collector tank • Heavy duty steel frame • Adjustable seat • Perfectly balanced weight of the components, thus resulting in totally safe quick changes of direction • Battery and battery charger not included. • Front light system (optional on request), standard for model SWL R 1000 ET code 0.061.0030

ELECTRIC FILTER SHAKER

SWL R 1000 ST
POWERED by **HONDA**



	SWL R 1000 ET	SWL R 1000 ST
code	0.061.0006	0.061.0007
main brush width	700 mm	700 mm
main brush + 2 side brush width	1230 mm	1230 mm
max working capacity	6200 m ² /h	8280 m ² /h
Motor type/traction	electric 24 V/rear wheels	Honda 5,5 Hp/front wheel

STANDARD EQUIPMENT



SWL R 1000 Bin-Up

**ELECTRIC
FILTER SHAKER**

**SWL R 1000 ST Bin Up
POWERED by
HONDA**

- Ideal for large surfaces • Large filter surface distributed on 6 cartridge filters fitted with electric filter shaker • Side brush raising control • Unload device for tank emptying into dust containers up to 110 cm height
- Complete right/left side brush • Suction switch off. • Lift flap pedal
- Flashing light • Main brush pressure regulation • Indirect back collection
- Front dust vacuum system • Quick changing of the main brush and side brush without tools • Long life elastic belts • Suction selection lever
- Shock proof steel frame • Traction lever • Antistatic device • Battery level indicator • Wide collector tank • Heavy duty steel frame • Adjustable seat
- Perfectly balanced weight of the components, thus resulting in totally safe quick changes of direction • Battery and battery charger not included. • Front light system (optional on request).



	SWL R 1000 ET BIN-UP	SWL R 1000 ST BIN-UP
code	0.061.0008	0.061.0009
main brush width	700 mm	700 mm
main brush + 2 side brush width	1230 mm	1230 mm
max working capacity	6200 m ² /h	8280 m ² /h
Motor type/traction	electric 24 V/rear wheels	Honda 5,5 Hp/front wheel

STANDARD EQUIPMENT



SWL R 1100

**ELECTRIC
FILTER SHAKER**

**SWL R 1100 ST
POWERED BY DIESEL ENGINE
YANMAR**

- Ideal for large surfaces. • Large filter surface distributed on 8 cartridge filters fitted with electric filter shaker. • Side brush raising control.
- On request DSA unload device for tank emptying into dust containers up to 145 cm height. • Complete right/left side brush. • Anti-trace wheels (mod.ET). • Suction switch off. • Lift flap pedal. • Flashing light. • Main brush pressure regulation. • 90° steering angle. • Electric starter. • Service and parking brake. • Hour meter and klaxon. • Antislip platform. • Indirect back collection. • Front dust vacuum system. • Quick changing of the main brush and side brush without tools. • Long life elastic belts. • Suction selection lever. • Shock proof steel frame. • Traction lever. • Antistatic device. • Battery level indicator (mod.ET). • 115 lt wide collector tank.
- Heavy duty steel frame. • Adjustable seat. • Battery and battery charger not included. • Front working light system.



	SWL R 1100 ET	SWL R 1100 ST
code	0.061.0036	0.061.0033
main brush width	800 mm	800 mm
main brush + 2 side brush width	1300 mm	1300 mm
max working capacity	9700 m ² /h	9700 m ² /h
Motor type/traction	electric 24 V/front wheels	Diesel Yanmar 6,7 Hp/front wheel

